

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT: LITTMAN, DAN R.

DENG, HONGKUI

ELLMEIER, WILFRIED LANDAU, NATHANIEL R.

LIU, RONG

(ii) TITLE OF INVENTION: G-COUPLED RECEPTORS ASSOCIATED WITH MACROPHAGE-TROPHIC HIV, AND DIAGNOSTIC AND THERAPEUTIC USES THEREOF

(iii) NUMBER OF SEQUENCES: 14

RECEIVED

- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: David A. Jackson, Esq.

APR 0 2 2002

(B) STREET: 411 Hackensack Ave, Continental Plaza, 4th Floor

TECH CENTER 1600/2900

- (C) CITY: Hackensack
- (D) STATE: New Jersey
- (E) COUNTRY: USA
- (F) ZIP: 07601
- (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.30
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: 09/734,221
 - (B) FILING DATE: 2000/12/11
 - (C) CLASSIFICATION:
- (vi) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 08/666,020
 - (B) FILING DATE: 19-JUN-1996
 - (C) CLASSIFICATION:
- (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 08/227,319
 - (B) FILING DATE: 13-APR-1994
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Jackson Esq., David A.
 - (B) REGISTRATION NUMBER: 26,742
 - (C) REFERENCE/DOCKET NUMBER: 1049-1-004 N2
 - (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: 201-487-5800
 - (B) TELEFAX: 201-343-1684
- (2) INFORMATION FOR SEQ ID NO:1:

	(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 29 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	(ii)	MOLECULE TYPE: DNA (genomic)	
((iii)	HYPOTHETICAL: NO	
	(vi)	ORIGINAL SOURCE: (A) ORGANISM: Homo sapiens	
		•	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:1:	
CTC	GATC	CG GTGGAACAAG ATGGATTAT	29
(2)	INFO	RMATION FOR SEQ ID NO:2:	
	(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 28 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	(ii)	MOLECULE TYPE: DNA (genomic)	
((iii)	HYPOTHETICAL: NO	
	(vi)	ORIGINAL SOURCE: (A) ORGANISM: Homo sapiens	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:2:	
CTCG	GTCGA(CA TGTGCACAAC TCTGACTG	28
(2)	INFO	RMATION FOR SEQ ID NO:3:	
	(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 66 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear	
	(ii)	MOLECULE TYPE: cDNA	
((iii)	HYPOTHETICAL: NO	

(vi) ORIGINAL SOURCE:

(A) ORGANISM: Homo sapiens

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:	
ATGGATTATC AAGTGTCAAG TCCAATCTAT GACATCAATT ATTATACATC GGAGCCCTGC	60
CAAAAA	66
(2) INFORMATION FOR SEQ ID NO:4:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 22 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: peptide	
(iii) HYPOTHETICAL: NO	
(v) FRAGMENT TYPE: internal	
<pre>(vi) ORIGINAL SOURCE: (A) ORGANISM: Homo sapiens</pre>	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:	
Met Asp Tyr Gln Val Ser Ser Pro Ile Tyr Asp Ile Asn Tyr Tyr Thr 1 5 10 15	
Ser Glu Pro Cys Gln Lys 20	
(2) INFORMATION FOR SEQ ID NO:5:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 84 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: cDNA	
(iii) HYPOTHETICAL: NO	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:	
ATGGATTATC AAGTGTCAAG TCCAATCTAT GACATCAATT ATCCATACGA TGTTCCAGAT	60
TATGCTTCGG AGCCCTGCCA AAAA	84
(2) INFORMATION FOR SEQ ID NO:6:	

•	•						
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 28 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear						
(ii)	MOLECULE TYPE: peptide						
(iii)	HYPOTHETICAL: NO						
(v)	FRAGMENT TYPE: internal						
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:							
Met 1	Asp Tyr Gln Val Ser Ser Pro Ile Tyr Asp Ile Asn Tyr Pro Tyr 5 10 15						
Asp	Val Pro Asp Tyr Ala Ser Glu Pro Cys Gln Lys 20 25						
(2) INFORMATION FOR SEQ ID NO:7:							
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 51 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear						
<pre>(ii) MOLECULE TYPE: other nucleic acid (A) DESCRIPTION: /desc = "Oligonucleotides"</pre>							
(iii)	HYPOTHETICAL: NO						
(vi)	ORIGINAL SOURCE: (A) ORGANISM: Homo sapiens						
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:7:						
ATCAATTA	TC CATACGATGT TCCAGATTAT GCTTCGGAGC CCTGCCAAAA A	51					
(2) INFO	RMATION FOR SEQ ID NO:8:						
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 63 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear						
(ii)	MOLECULE TYPE: other nucleic acid (A) DESCRIPTION: /desc = "Oligonucleotides"						

	(vi)	ORIGINAL SOURCE: (A) ORGANISM: Homo sapiens	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:8:	
GCAG(GATC(CA CCATGGATTA TCAAGTGTCA AGTCCAATCT ATGACATCAA TTATCCATAC	60
GAT			63
(2)	INFO	RMATION FOR SEQ ID NO:9:	
	(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 24 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear	
	(ii)	MOLECULE TYPE: cDNA	
(:	iii)	HYPOTHETICAL: NO	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:9:	
CCAT	ACGAT	TG TTCCAGATTA TGCT	24
(2)	INFOR	RMATION FOR SEQ ID NO:10:	
	(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 8 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	(ii)	MOLECULE TYPE: peptide	
(:	iii)	HYPOTHETICAL: NO	
	(v)	FRAGMENT TYPE: internal	
	(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:10:	
	Pro 1	Tyr Asp Val Pro Asp Tyr Ala 5	
(2)	INFOF	RMATION FOR SEQ ID NO:11:	
	(i)	SECULENCE CHAPACTERISTICS.	

(iii) HYPOTHETICAL: 'NO

•	(A) LENGTH: 30 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: cDNA	
(iii)	HYPOTHETICAL: NO	
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:11:	
TATCCATA	CG ATGTTCCAGA TTATGCTTCG	30
(2) INFO	RMATION FOR SEQ ID NO:12:	
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 10 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: peptide	
(iii)	HYPOTHETICAL: NO	
(v)	FRAGMENT TYPE: internal	`
(xi)	SEQUENCE DESCRIPTION: SEQ ID NO:12:	
Tyr 1	Pro Tyr Asp Val Pro Asp Tyr Ala Ser 5 10	
	ORMATION FOR SEQ ID NO:13:	
(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 3383 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear	
(ii)	MOLECULE TYPE: cDNA	
(iii)	HYPOTHETICAL: NO	
(vi)	ORIGINAL SOURCE: (A) ORGANISM: Homo sapiens	

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

AGAAGAGCTG	AGACATCCGT	TCCCCTACAA	GAAACTCTCC	CCGGGTGGAA	CAAGATGGAT	60
TATCAAGTGT	CAAGTCCAAT	CTATGACATC	ААТТАТТАТА	CATCGGAGCC	CTGCCAAAAA	120
ATCAATGTGA	AGCAAATCGC	AGCCCGCCTC	CTGCCTCCGC	TCTACTCACT	GGTGTTCATC	180
TTTGGTTTTG	TGGGCAACAT	GCTGGTCATC	CTCATCCTGA	TAAACTGCAA	AAGGCTGAAG	240
AGCATGACTG	ACATCTACCT	GCTCAACCTG	GCCATCTCTG	ACCTGTTTTT	CCTTCTTACT	300
GTCCCCTTCT	GGGCTCACTA	TGCTGCCGCC	CAGTGGGACT	TTGGAAATAC	AATGTGTCAA	360
CTCTTGACAG	GGCTCTATTT	TATAGGCTTC	TTCTCTGGAA	TCTTCTTCAT	CATCCTCCTG	420
ACAATCGATA	GGTACCTGGC	TGTCGTCCAT	GCTGTGTTTG	CTTTAAAAGC	CAGGACGGTC	480
ACCTTTGGGG	TGGTGACAAG	TGTGATCACT	TGGGTGGTGG	CTGTGTTTGC	GTCTCTCCCA	540
GGAATCATCT	TTACCAGATC	TCAAAAAGAA	GGTCTTCATT	ACACCTGCAG	CTCTCATTTT	600
CCATACAGTC	AGTATCAATT	CTGGAAGAAT	TTCCAGACAT	TAAAGATAGT	CATCTTGGGG	660
CTGGTCCTGC	CGCTGCTTGT	CATGGTCATC	TGCTACTCGG	GAATCCTAAA	AACTCTGCTT	720
CGGTGTCGAA	ATGAGAAGAA	GAGGCACAGG	GCTGTGAGGC	TTATCTTCAC	CATCATGATT	780
GTTTATTTC	TCTTCTGGGC	TCCCTACAAC	ATTGTCCTTC	TCCTGAACAC	CTTCCAGGAA	840
TTCTTTGGCC	TGAATAATTG	CAGTAGCTCT	AACAGGTTGG	ACCAAGCTAT	GCAGGTGACA	900
GAGACTCTTG	GGATGACGCA	CTGCTGCATC	AACCCCATCA	TCTATGCCTT	TGTCGGGGAG	960
AAGTTCAGAA	ACTACCTCTT	AGTCTTCTTC	CAAAAGCACA	TTGCCAAACG	CTTCTGCAAA	1020
TGCTGTTCTA	TTTTCCAGCA	AGAGGCTCCC	GAGCGAGCAA	GCTCAGTTTA	CACCCGATCC	1080
ACTGGGGAGO	: AGGAAATATC	TGTGGGCTTG	TGACACGGAC	TCAAGTGGGC	TGGTGACCCA	1140
GTCAGAGTTC	TGCACATGGC	TTAGTTTTC	TACACAGCCT	GGGCTGGGGG	TGGGGTGGGA	1200
GAGGTCTTT	TTAAAAGGAA	A GTTACTGTTA	A TAGAGGGTCT	AAGATTCAT(CATTTATTTG	1260
GCATCTGTTT	r AAAGTAGATI	r AGATCTTTT	A AGCCCATCA	A TTATAGAAA	CCAAATCAAA	1320
ATATGTTGAT	r gaaaaatago	AACCTTTTT	A TCTCCCCTTC	ACATGCATCA	A AGTTATTGAC	1380
AAACTCTCC	TTCACTCCG	A AAGTTCCTT	A TGTATATTT	A AAAGAAAGC	C TCAGAGAATT	1440
GCTGATTCT	r GAGTTTAGT(G ATCTGAACA	AAATACCAA	A ATTATTCA	G AAATGTACAA	1500
CTTTTTACC'	r agtacaagg	C AACATATAGO	G TTGTAAATG	r GTTTAAAAC	A GGTCTTTGTC	1560
TTGCTATGG	G GAGAAAAGA	C ATGAATATG	A TTAGTAAAG	A AATGACACT	r TTCATGTGTG	1620
ATTTCCCCT	C CAAGGTATG	G TTAATAAGT	r TCACTGACT	r AGAACCAGG	C GAGAGACTTG	1680

TGGCCTGGGA GAGCTGGGGA AGCTTCTTAA ATGAGAAGGA ATTTGAGTTG GATCATCTAT 1740 TGCTGGCAAA GACAGAAGCC TCACTGCAAG CACTGCATGG GCAAGCTTGG CTGTAGAAGG 1800 AGACAGAGCT GGTTGGGAAG ACATGGGGAG GAAGGACAAG GCTAGATCAT GAAGAACCTT 1860 GACGGCATTG CTCCGTCTAA GTCATGAGCT GAGCAGGGAG ATCCTGGTTG GTGTTGCAGA 1920 AGGTTTACTC TGTGGCCAAA GGAGGGTCAG GAAGGATGAG CATTTAGGGC AAGGAGACCA 1980 CCAACAGCCC TCAGGTCAGG GTGAGGATGG CCTCTGCTAA GCTCAAGGCG TGAGGATGGG 2040 AAGGAGGAG GTATTCGTAA GGATGGGAAG GAGGGAGGTA TTCGTGCAGC ATATGAGGAT 2100 GCAGAGTCAG CAGAACTGGG GTGGATTTGG TTTGGAAGTG AGGGTCAGAG AGGAGTCAGA 2160 GAGAATCCCT AGTCTTCAAG CAGATTGGAG AAACCCTTGA AAAGACATCA AGCACAGAAG 2220 2280 GAGGAGGAGG AGGTTTAGGT CAAGAAGAAG ATGGATTGGT GTAAAAGGAT GGGTCTGGTT TGCAGAGCTT GAACACAGTC TCACCCAGAC TCCAGGCTGT CTTTCACTGA ATGCTTCTGA 2340 CTTCATAGAT TTCCTTCCCA TCCCAGCTGA AATACTGAGG GGTCTCCAGG AGGAGACTAG 2400 ATTTATGAAT ACACGAGGTA TGAGGTCTAG GAACATACTT CAGCTCACAC ATGAGATCTA 2460 GGTGAGGATT GATTACCTAG TAGTCATTTC ATGGGTTGTT GGGAGGATTC TATGAGGCAA 2520 CCACAGGCAG CATTTAGCAC ATACTACACA TTCAATAAGC ATCAAACTCT TAGTTACTCA 2580 TTCAGGGATA GCACTGAGCA AAGCATTGAG CAAAGGGGTC CCATATAGGT GAGGGAAGCC 2640 TGAAAAACTA AGATGCTGCC TGCCCAGTGC ACACAAGTGT AGGTATCATT TTCTGCATTT 2700 AACCGTCAAT AGGCAAAGGG GGGAAGGGAC ATATTCATTT GGAAATAAGC TGCCTTGAGC 2760 CTTAAAACCC ACAAAAGTAC AATTTACCAG CCTCCGTATT TCAGACTGAA TGGGGGTGGG 2820 GGGGGCGCCT TAGGTACTTA TTCCAGATGC CTTCTCCAGA CAAACCAGAA GCAACAGAAA 2880 AAATCGTCTC TCCCTCCTT TGAAATGAAT ATACCCCTTA GTGTTTGGGT ATATTCATTT 2940 CAAAGGGAGA GAGAGAGGTT TTTTTCTGTT CTTTCTCATA TGATTGTGCA CATACTTGAG 3000 ACTGTTTTGA ATTTGGGGGA TGGCTAAAAC CATCATAGTA CAGGTAAGGT GAGGGAATAG 3060 TAAGTGGTGA GAACTACTCA GGGAATGAAG GTGTCAGAAT AATAAGAGGT GCTACTGACT 3120 TTCTCAGCCT CTGAATATGA ACGGTGAGCA TTGTGGCTGT CAGCAGGAAG CAACGAAGGG 3180 AAATGTCTTT CCTTTTGCTC TTAAGTTGTG GAGAGTGCAA CAGTAGCATA GGACCCTACC 3240 CTCTGGGCCA AGTCAAAGAC ATTCTGACAT CTTAGTATTT GCATATTCTT ATGTATGTGA 3300 3360

ΑΑΑΑΑΑΑΑΑ ΑΑΑΑΑΑΑΑΑ

(2) INFORMATION FOR SEQ ID NO:14:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 352 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (iii) HYPOTHETICAL: NO
- (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Homo sapiens
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:
- Met Asp Tyr Gln Val Ser Ser Pro Ile Tyr Asp Ile Asn Tyr Tyr Thr 1 5 10 15
- Ser Glu Pro Cys Gln Lys Ile Asn Val Lys Gln Ile Ala Arg Leu 20 25 30
- Leu Pro Pro Leu Tyr Ser Leu Val Phe Ile Phe Gly Phe Val Gly Asn 35 40 45
- Met Leu Val Ile Leu Ile Leu Ile Asn Cys Lys Arg Leu Lys Ser Met 50 55 60
- Thr Asp Ile Tyr Leu Leu Asn Leu Ala Ile Ser Asp Leu Phe Phe Leu 65 70 75 80
- Leu Thr Val Pro Phe Trp Ala His Tyr Ala Ala Ala Gln Trp Asp Phe 85 90 95
- Gly Asn Thr Met Cys Gln Leu Leu Thr Gly Leu Tyr Phe Ile Gly Phe 100 105 110
- Phe Ser Gly Ile Phe Phe Ile Ile Leu Leu Thr Ile Asp Arg Tyr Leu 115 120 125
- Ala Val Val His Ala Val Phe Ala Leu Lys Ala Arg Thr Val Thr Phe 130 135 140
- Gly Val Val Thr Ser Val Ile Thr Trp Val Val Ala Val Phe Ala Ser 145 150 155 160
- Leu Pro Gly Ile Ile Phe Thr Arg Ser Gln Lys Glu Gly Leu His Tyr 165 170 175
- Thr Cys Ser Ser His Phe Pro Tyr Ser Gln Tyr Gln Phe Trp Lys Asn 180 185 190

Phe Gln Thr Leu Lys Ile Val Ile Leu Gly Leu Val Leu Pro Leu Leu Val Met Val Ile Cys Tyr Ser Gly Ile Leu Lys Thr Leu Leu Arg Cys Arg Asn Glu Lys Lys Arg His Arg Ala Val Arg Leu Ile Phe Thr Ile Met Ile Val Tyr Phe Leu Phe Trp Ala Pro Tyr Asn Ile Val Leu Leu Leu Asn Thr Phe Gln Glu Phe Phe Gly Leu Asn Asn Cys Ser Ser Ser Asn Arg Leu Asp Gln Ala Met Gln Val Thr Glu Thr Leu Gly Met Thr His Cys Cys Ile Asn Pro Ile Ile Tyr Ala Phe Val Gly Glu Lys Phe Arg Asn Tyr Leu Leu Val Phe Phe Gln Lys His Ile Ala Lys Arg Phe Cys Lys Cys Cys Ser Ile Phe Gln Gln Glu Ala Pro Glu Arg Ala Ser Ser Val Tyr Thr Arg Ser Thr Gly Glu Glu Glu Ile Ser Val Gly Leu